

ADDENDUM to AGENDA ITEM #10b

BUILDING STANDARDS COMMISSION

BSC 02/18

California Building Code, Part 2

[Note: These two items are proposed for adoption, yet have not been heard at CAC, nor appeared in a 45-day comment period. The items appeared in a 15-day comment period that ended after meeting agenda publication.]

ITEM 13-1:

[BSC proposes to repeal existing California amendments within Table 1607.1 to align with other amendments being repealed in other sections, permitting model code language from the 2018 IBC to carry forward.]

...

4. Assembly areas	60	
Fixed seats (fastened to floor)	50	—
Follow spot, projections and control rooms	100	
Lobbies Movable seats	100	
Stage floors	150	
Platforms (assembly)	100	
Other assembly areas	100	
5. Balconies and decks	1.5 <i>times the live load for the area served.</i> <i>Not required to exceed 100 psf.</i> 1.5 times the live load for the area served. Not required to exceed 100 psf.	—
6. Catwalks	40	300

...

ITEM 17-4:

ADDENDUM to AGENDA ITEM #10b

BUILDING STANDARDS COMMISSION

BSC 02/18

California Building Code, Part 2

[BSC proposes to repeal the existing California amendment within 2304.12.2.5 in order to align with other amendments being repealed in other sections, since the proposed amendment would have duplicated model code text.]

...

2304.12.2.5 Supporting members for permeable floors and roofs. Wood structural members ... separated from such floors or roofs by an impervious moisture barrier. The impervious moisture barrier system protecting the structure supporting floors shall provide positive drainage of water that infiltrates the moisture-permeable floor topping. **[BSC]** ~~The impervious moisture barrier system protecting the structure supporting floors shall provide positive drainage of water that infiltrates the moisture-permeable floor topping.~~

...