

**FINAL EXPRESS TERMS
FOR
PROPOSED BUILDING STANDARDS
OF THE
DIVISION OF THE STATE ARCHITECT (DSA-AC)

REGARDING PROPOSED CHANGES TO
THE CALIFORNIA PLUMBING CODE
CALIFORNIA CODE OF REGULATIONS, TITLE 24, PART 5

2016 CALIFORNIA PLUMBING CODE
TRIENNIAL CODE CYCLE**

LEGEND FOR EXPRESS TERMS

1. Existing California amendments or code language being modified are in *italics* when they appear in the model code text: All such language appears in *italics*, modified language is underlined.
2. New California amendments: All such language appears underlined and in italics.
3. Repealed text: All such language appears in ~~strikeout~~.

FINAL EXPRESS TERMS

DSA-AC proposes to carry forward its adoption of existing California amendments from the 2013 CA Plumbing Code into the 2016 CA Plumbing Code, with further amendment as indicated.

**CHAPTER 1
SCOPE AND ADMINISTRATION
DIVISION I
CALIFORNIA ADMINISTRATION**

ITEM 1.00

CHAPTER 1, DIVISION I – MATRIX ADOPTION TABLE

Adopting Agency	DSA-AC
Adopt entire California Chapter	
Adopt entire California Chapter as amended (amended Sections listed below)	
Adopt only those Sections that are listed below	X
Chapter / Section	
1.9.0	X
1.9.1	X
<u>1.9.1.1</u>	<u>X</u>

ITEM 1.01

**SECTION 1.9
DIVISION OF THE STATE ARCHITECT**

1.9.1 Division of the State Architect – Access Compliance.

Note: (begin strikeout) ~~For applications listed in Section 1.9.1 of the California Building code, regulated by the Division of the State Architect—Access Compliance, see California Code of Regulations, Title 24, Part 2 (California Building Code), Chapter 1 (Division 1 California Administration) under authority cited by Government Code Section 4450 and in reference cited by Government Code Section 4450 through 4461, 12955.1, and Health and Safety Code Sections 18949.1, 19952 through 19959.~~ (end strikeout)

(begin underline) Buildings or facilities where accessibility is required for applications listed in California Code of Regulations, Title 24, Part 2 (California Building Code), Chapter 1, Section 1.9.1 regulated by the Division of the State Architect—Access Compliance shall comply with Title 24, Part 2, Chapter 11A or 11B, as applicable under authority cited by CA Government Code Section 4450 and in reference cited by CA Government Code Sections 4450 through 4461, 12955.1(c), and CA Health and Safety Code Sections 18949.1, 19952 through 19959. (end underline)

1.9.1.1 Adopting agency identification. The provisions of this code applicable to buildings identified in this Subsection 1.9.1 will be identified in the Matrix Adoption Tables under the acronym DSA-AC.

CHAPTER 4 PLUMBING FIXTURES AND FIXTURE FITTINGS

ITEM 4.00

CHAPTER 4 – MATRIX ADOPTION TABLE

Adopting Agency	DSA-AC
Adopt entire Chapter	
Adopt entire Chapter as amended (amended Sections listed below)	
Adopt only those Sections that are listed below	X
Chapter / Section	
Note under chapter title	X
<u>422.1.2</u>	<u>X</u>
Table 422.1, <u>Note 4</u>	X

ITEM 4.01

CHAPTER 4 PLUMBING FIXTURES AND FIXTURE FITTINGS

Note: (begin strikeout) ~~In addition the requirements of this chapter, which provide access to, or egress from, buildings or facilities where accessibility is required for applications listed in Section 109, of the California Building Code, regulated by the Division of the State Architect—Access Compliance shall also comply with Chapter 11A for public housing and Chapter 11B for public accommodations under authority cited by Gov. Code §4450 and in reference cited by Gov. Code §4450 through 4461, 12955.1 and H&SC §18949.1, 19952 through 19959.~~ (end strikeout)

(begin underline) In addition to the requirements of this chapter, buildings or facilities where accessibility is required for applications listed in California Code of Regulations, Title 24, Part 2 (California Building Code), Chapter 1, Section 1.9.1 regulated by the Division of the State Architect—Access Compliance shall also comply with Title 24, Part 2, Chapter 11A or 11B, as applicable under authority cited by CA Government Code Section 4450 and in reference cited by CA Government Code Sections 4450 through 4461, 12955.1(c), and CA Health and Safety Code Sections 18949.1, 19952 through 19959. (end underline)

ITEM 4.02

422.0 Minimum Number of Required Fixtures.

422.1 Fixture Count. ...

422.1.2 (begin strikeout) ~~**[DSA-AS]**~~ (end strikeout) (begin underline) **[DSA-AC]** (end underline) *Effective January 1, 1990, in new construction and those existing facilities which occupancy type are listed in Tables 422.1 and 4-4 for public use, which apply for permit to undertake construction, structural alterations, repairs or improvement which exceed 50 percent of the square footage of the entire facility, shall install water closets, urinals, lavatories and drinking fountains as stipulated in Tables 422.1 and 4-4 for public use. Community and/or municipal parks with a bleacher capacity not exceeding 500 seats shall be exempt from the requirements of this section and Tables 422.1 and 4-4. Each bathroom shall comply with Part 2, Chapter 11A and 11B of the California Building Code.*

ITEM 4.03

422.0 Minimum Number of Required Fixtures.

422.1 Fixture Count. ...

**TABLE 422.1
MINIMUM PLUMBING FACILITIES ...**

Notes:

1 ...

2 ...

3 ...

4 **[DSA-AC]** *In accordance with Sections 1.8.7 and (begin strikeout) ~~301.2~~ (end strikeout) (begin underline) 301.3 (end underline), the Authority Having Jurisdiction may approve alternative designs criteria when determining the minimum number of plumbing fixtures.*

Notation

Authority: Government Code Section 4450.

References: Government Code Sections 4450 through 4461, and 12955.1(c); Health and Safety Code Sections 18949.1, 19952 through 19959