

ATTACHMENT C

(List of specific provisions in Chapter 11B for which there appears to be no similar specific provision in title III requirements for new construction and alterations, including the ADA Standards for Accessible Design)

1101B.3 Maintenance of Accessible Features

Section 1102 Definitions

Elevator, Passenger

Grab Bar

Handrail

Independent Entity

International Symbol of Accessibility

Kick Plate

Level Area

Nose, Nosing

Open Riser

Passage Door

Pedestrian

Pedestrian Way

Primary Entry Level

Riser

Special Access Lift

Stair Railing

Tread

Tread Depth

Tread Run

1104B.2 (regarding exception for assistive-listening systems in assembly areas used exclusively for paging or background music)

1104B.2.5 Fees and charges

1104B.4.3 Participation areas

1104B.4.4 Clubrooms

1104B.5.8 Food preparation areas

1104B.6. Religious facilities

1105B.3.4 Public utility facilities

1105B.3.5 Police department, law enforcement, fire department facilities and courtrooms

1107B Factories and warehouses

1108B Accessibility for Group H occupancies

1110B.1.7 Fitting and dressing rooms (regarding clothing hooks and exceptions)

1111B.3 Recreational facilities

1111B.5 Buildings and complexes containing publicly funded dwelling units

1112B Accessibility for Group S occupancies

1113B Accessibility for Group U occupancies

1114B.1.5 Adaptable dwelling units

1115B Bathing and Toilet Facilities

- 1115B.2.1.3.4 (regarding whether one of two accessible showers shall have opposite hand controls)
 - 1115B.2.1.5.2 (regarding drinking fountains and water coolers in multifamily residential buildings)
 - 1115B.3 (regarding accessible drinking fountains used by children)
 - 1115B.5 (regarding men and women's identification symbols for sanitary facilities)
 - 1115B.6.2.3 (regarding whether one of two accessible showers shall have opposite hand controls)
 - 1115B.6.2.4.4 (regarding maximum floor slope for shower floors)
 - 1115B.6.2.4.6 Soap dish
 - 1115B.6.4 Lockers
 - 1115B.9.5 (regarding interior surfaces in toilet room floors)
 - 1115B.9.6 (regarding materials used for shower areas)
 - 1115B.9.7 (regarding materials used for doors and panels of shower and bathtub enclosures)
 - 1115B.9.8 Glazing for shower and bathtub enclosures
 - 1115B.9.9 Plastics
- Table 1115B-1 Suggested dimensions for children's use

1116B Elevators and Special Access (Wheelchair) Lifts

- 1116B.1.11 (regarding handrails in elevators)
- 1116B.2.4.1 (regarding landing size near lifts)
- 1116B.3 (regarding when lifts can be used as an exit in an egress system)
- 1116B.3.1 (regarding requirements for lifts used as an exit in an egress system)
- 1116B.3.2 (regarding standby power for lifts)
- 1116B.3.3 (regarding the maximum distance an occupant has to travel to an exit)

1117B Other Building Components

- 1117B.3 (regarding kitchens referencing section 1112A in chapter 11A)
 - 1117B.4 Swimming pools
 - 1117B.5.9 Traffic-control devices
 - 1117B.5.10 (regarding the use of the sign "TTY" instead of "TDD")
 - 1117B.5.11 (regarding cleaner air symbol for publicly funded facilities)
 - 1117B.7.1 (regarding definitions for ATMs and POS machines)
 - 1117B.7.5 (regarding displays for ATMs and POS machines)
-
- 1127B.4 (regarding striping for the visually impaired)
 - 1127B.5.7. (regarding curb ramps with grooved border)
 - 1129B.5 (regarding additional sign for parking spaces for off-street parking facilities)
 - 1132B.2 (regarding parks and recreational areas)
 - 1132B.3 (regarding highway rest areas)
 - 1132B.3.1 (regarding permanent facilities in outdoor occupancies)

1133B General Accessibility For Entrances, Exits and Paths of Travel

1133B.1.1.1.1 (regarding exceptions 1 and 2)

1133B.2.1 (regarding type of lock or latch referencing section 1003.3.1.8 in chapter 10)

1133B.2.4 (regarding a requirement of landing on each side of door)

1133B.2.4.5 (regarding recessed doors)

1133B.2.5.3 (regarding recessed doors)

1133B.2.6 Smooth surface

1133B.4.3 Tactile stair level identification sign

1133B.4.4 Striping for the visually impaired

1133B.5.5.1.1 (regarding extension of the ramp handrails)

1133B.5.7 (regarding guardrails)

1133B.7.6 Walks with continuous gradients

1133B.8.1 (regarding warning curbs for hazards)

1133B.8.4 (regarding the additional requirement of detectable directional texture at boarding platforms)

8-603.5.3 (regarding access provided by experiences, services, functions, etc.)