

**COMMISSION ACTION MATRIX**  
**2019 CALIFORNIA BUILDING CODE, TITLE 24, PART 2 (2019 Intervening Code Cycle)**  
**AGENCY: HOUSING AND COMMUNITY DEVELOPMENT [HCD 1AC 02/19]**

**LEGEND:**

**CAC Actions:** Approve as Amended, Approve as Submitted, Disapprove, Further Study

**Agency Responses:** Accept, Disagree, Withdraw

**CBSC Actions:** Approve as Amended, Approve as Submitted, Disapprove, Further Study

**Matrix Paper Color (for commission action only):** GREEN = uncontested items, YELLOW = challenged items, SALMON = withdrawn, no action required

**ACCESS CODE ADVISORY COMMITTEE**

**CHAPTER 2 – DEFINITIONS SECTION 202**

Amend Section 202 listed below

Item Number 1	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1AC 02/19-1-1	<b>PUBLIC HOUSING</b>				Amend definition to co-adopt with DSA.	

**CHAPTER 11A – HOUSING ACCESSIBILITY**

Amend Section 1112A CURB RAMPS ON ACCESSIBLE ROUTES

Item Number 2	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1AC 02/19-2-1	<b>1112A.4</b>				Amend section to provide a correct reference to the figures change <del>11A-3M</del> to <u>11A-3L</u>	
HCD 1AC 02/19-2-2	<b>1112A.5</b>				Amend section to provide a correct reference to the figures change <del>11A-3M</del> to <u>11A-3L</u>	

**CHAPTER 11A – HOUSING ACCESSIBILITY**

Amend Section 1132A DOORS

Item Number 3	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1AC 02/19-3-1	<b>1132A.7</b>				Amend section – model code renumbered sections in the code.	

**CHAPTER 11A – HOUSING ACCESSIBILITY**

Amend Section 1133A *KITCHENS*

Item Number 4	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1AC 02/19-4-1	<b>1133A.2</b>				Amend section to add correct term. Replace work space with work surface.	

**CHAPTER 11A – HOUSING ACCESSIBILITY**

Amend Section 1134A *BATHING AND TOILET FACILITIES*

Item Number 5	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1AC 02/19-5-1	<b>1134A.6</b>				Amend section to add design option of transfer type shower stall.	

**CHAPTER 11A – HOUSING ACCESSIBILITY**

Amend Section 1136A *ELECTRICAL RECEPTACLE, SWITCH AND CONTROL HEIGHTS*

Item Number 6	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
HCD 1 AC 02/19-6-1	<b>1136A.1</b>				Amend section to reflect maximum 25 ½ inch reach depth for receptacle heights.	
HCD 1AC 02/19-6-2	<b>1136A.2</b>				Amend section to reflect maximum 25 ½ inch switch and control height.	