

COMMISSION ACTION MATRIX

2019 CALIFORNIA GREEN BUILDING CODE, TITLE 24, PART 11

AGENCY: THE DIVISION OF THE STATE ARCHITECT THE DIVISION OF THE STATE ARCHITECT-STRUCTURAL SAFETY [DSASS-CC 04/19]

LEGEND:

CAC Actions: Approve as Amended, Approve as Submitted, Disapprove, Further Study

Agency Responses: Accept, Disagree, Withdraw

CBSC Actions: Approve as Amended, Approve as Submitted, Disapprove, Further Study

Matrix Paper Color (for commission action only): GREEN = uncontested items, YELLOW = challenged items, SALMON = withdrawn, no action required

GREEN-PEME AD HOC CODE ADVISORY COMMITTEE

ELECTRIC VEHICLE INFRASTRUCTURE

SECTION: 5.106 – SITE DEVELOPMENT

Amend sections listed below

Item Number 1	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
DSASS-CC 04/19-1-1	TABLE 5.106.5.3.3 EV charging space calculation.				Amend section to increase the percentage of spaces required for electrical vehicle (EV) charging infrastructure.	
DSASS-CC 04/19-1-2	5.106.5.3.5 [N] Future charging spaces.				Amend section to add "Note" clarifying that future EV charging spaces shall count toward the total required parking spaces. This Note does not apply to K-12 schools and community colleges.	

LIGHT POLLUTION REDUCTION

SECTION 5.106.8 Light pollution reduction.

Amend sections listed below

Item Number 2	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
DSASS-CC 04/19-2-1	5.106.8 Light pollution reduction., Exceptions: [N], #1 & #5				Amend section to strike the [N] banner from Exceptions. Amend Exception 1 and add new Exception 5 are to align with CALGreen BUG requirements adopted into the California Energy Code, Section 130.2(b)	
DSASS-CC 04/19-2-2	5.106.8.1 Facing – Backlight. & Exception: Corners				New code section which relocates and amends table footnotes from Table 5.108.6 [N]. Section added to properly align requirements for stringency of backlight and glare in relation to property lines. Add Exception for corners.	
DSASS-CC 04/19-2-3	5.106.8.2 Facing – Glare., Notes: #1 [N]				New code section which relocates and amends table footnotes from Table 5.108.6 [N]	
DSASS-CC 04/19-2-4	TABLE 5.106.8 [N] Maximum Allowable Backlight . . .				Repeal footnotes from this table and relocate them into two new code Section 5.106.8.1 with an exception for “corners,” and new Section 5.106.8.2. Table superscript numbers are re-adjusted to align with the with revised footnote numbers.	

PRE-RINSE SPRAY VALVES

SECTION 5.303 – INDOOR WATER USE

Amend sections listed below

Item Number 3	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
DSASS-CC 04/19-3-1	<u>5.303.3.4.6</u> <u>Pre-rinse</u> <u>spray valve.</u>				New code section to align with Appliance Efficiency regulations adopted for pre-rinse spray valves by the CEC in Title 20 for automatic shutoff requirements of the California Code of Regulations.	
DSASS-CC 04/19-3-2	<u>FOR</u> <u>REFERENCE</u> <u>ONLY : . .</u> <u>Table H-2 . . .</u> <u>& Title 20</u> <u>Section</u> <u>1605.3(h)(4)(A)</u>				Re-print Title 20 Table H2, and Title 20 Section 1605.3(h)(4)(A) for pre-rinse spray valves, for reference and labeling requirements on spray valves.	

POLLUTANT CONTROL

SECTION 5.504 – POLLUTANT CONTROL

Amend sections listed below

Item Number 4	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
DSASS-CC 04/19-4-1	5.504.4.4 Carpet systems & items 1-5				Amend section to repeal items 1 through 5 and add new CDPH referenced standard for VOC limits for carpet systems with new website link.	
DSASS-CC 04/19-4-2	5.504.4.4.1 Carpet cushion.				Amend section to repeal “Carpet and Rug Institute’s Green Label program” and new CDPH referenced standard added for VOC limits for carpet cushion with new website link.	

Item Number 4	Code Section	CAC Action	Agency Response	Public Comments	Annotations	CBSC Action
DSASS-CC 04/19-4-3	5.504.4.4.6 Resilient flooring systems.				Amended to repeal items 1 through 4 and add new CDPH referenced standard for VOC limits for resilient flooring systems with new website link.	